

4G LTE Mobile Wi-Fi

Model: MT110

Highlights

- 4G LTE Speeds up to 150 Mbps[†]
- 10 Hours Usage[‡]
- Fast 287 Mbps Wi-Fi
- Connect up to 10 Devices
- Easy App Control




















Go Anywhere and Connect Everywhere with Superfast 4G LTE

MT110 uses 4G LTE technology to achieve super fast speeds up to 150 Mbps download and 50 Mbps upload. It can also share a Wi-Fi network with maximum speed of 287 Mbps on 2.4 GHz for gaming, streaming, and more.



Ideal Use Places



Highlights


Share the WiFi with Friends

A remarkable number of wireless gadgets are compatible with this small mobile hotspot without any issues. Up to 10 simultaneous connections for tablets, laptops, mnobile phones, and other devices are supported by the MT110.



Get Wi-Fi Where You Need It

Enjoy unmatched convenience and versatility. Tested in the field for years to ensure universal compatibility with advanced LTE antennas to deliver a smooth connection. Enjoy the utilize fast and stable Wi-Fi, whether you're at home or working remote.






Specifications

Hardware

- Interface:1 USB-C port, 1 Nano SIM card slot
- Button: Power/Wi-Fi Button, Reset Button
- LED: Wi-Fi LED, Internet LED, Battery LED
- Dimensions:
 4.3 × 2.7 × 0.9 in (111 × 70 × 23.8 mm)
- External Power Supply: 5V/1A



Wireless

• Network Type:

4G LTE: Download Speed 150 Mbps +Upload Speed 50 Mbps[†] FDD-LTE: B1/B3/B5/B7/B8/B20/B28 (2100/1800/850/2600/900/800/700 MHz)

TDD-LTE: B38/B40 (2600/2300 MHz)

HSPA+/UMTS: B1/B5/B8 (2100/850/900 MHz)

• Wireless Standards: IEEE 802.11ax/b/g/n 2.4 GHz

• Frequency: 2.4 GHz

• Wireless Speed: 287 Mbps on 2.4 GHz

• Transmit Power: <20dBm

• Reception Sensitivity:

11b 11Mbps: -89dBm

11g 54Mbps: -76dBm

11n HT20MCS7: -74dBm

11n HT40MCS7: -71dBm

11ax HE20MCS9: -69dBm

11ax HE40MCS9: -65dBm

• Wireless Security: Support WPA-PSK/WPA2-PSK, WPA3, Wireless MAC

Filtering, Enable/Disable SSID Broadcast

• DHCP: Server, Client, DHCP Client List



Specifications

Others

Certification: CE, RoHSSystem Requirements:

Windows 11/10/8/7, Mac OS, Android, iOS, Windows Phone

Environment

Operating Temperature: 0°C~35°C (32°F~95°F) Storage Temperature: -20°C~60°C (-4°F ~140°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

• Package Contents

4G LTE Mobile Wi-Fi MT110

USB-C Cable

Quick Installation Guide

Specifications are subject to change without notice. MERCUSYS is a registered trademark of MERCUSYS TECHNOLOGIES CO., LTD. Other brands and product names are trademarks or registered trademarks of their respective holders. Copyright © 2025 MERCUSYS TECHNOLOGIES CO., LTD. All rights reserved.

†Maximum 4G download speeds depend on external factors such as the local 4G network coverage, data plan, real-time network capacity, client limitations, and environmental factors. ‡Actual battery time may vary due to different user environments

AMaximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage, and quantity of connected devices are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.